	Type	Hits	Search Text	DBs
1	BRS	1695	711/133,159,170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1 /	711/133,159,170.ccls. and ((valid\$3 or real\$4 or authent\$5) with evict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS		711/133,135, "144", "145", "159,170".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS		(711/133,135, "144", "145", "159,170".ccls.) and ((valid\$3 or real\$4 or authent\$5) with evict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	497118	711/135, "144", "145".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	25	"145".ccls.) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	/Uカ	cache with (coherency near3 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS		/ /	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	21	/ / 33. 59. /U.CC S.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
10	BRS	3	711/133,159,170.ccls. and (evict\$3 with wait)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	7	"711"/\$.ccls. and (evict\$3 with wait)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	8	evict\$3 with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2	"5561780".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	11	"711"/\$.ccls. and (castout or cast-out or (cast adj out)) with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	16	(castout or cast-out or (cast adj out)) with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	19	(cast adj out) or evict\$3) same partial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	2	"5561780".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	8	(cache with (coherency near3 protocol)) same (MEI and MESI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
19	BRS		cache same ((evict\$3 near3 (main adj memory)) with valid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	((evict\$3 near3 (main adj memory)) with valid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	1/9	cache same (evict\$3 near3 (main adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	374	(I/O or (input adj output) or IO) with (cache near3 (store or save))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	37	711/133,159,170.ccls. and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	28		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	19	Nicache adi lihel heari	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	part or section)) with (valid near3 bit) same	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	IS&R	2	("20030084253").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
28	BRS		cache same ((evict\$3 near3 dirty) with valid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	11 / /	cache same (evict\$3 near3 dirty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	12	cache same (evict\$3 near3 (single or one) near3 (transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	1	<pre>(cache near3 evict\$3) same (writ\$3 near3 (full\$3 or full) near3 (single or one) near3 (transaction or cycle))</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	1	<pre>(valid\$4) same (writ\$3 near3 (full\$3 or full) near3 (single or one) near3 (transaction or cycle))</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS		(valid\$4) same (writ\$3 near3 (full\$3 or full) near3 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	44		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS		(eVictS3) same ((single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	89	or one) near3 (transaction or cycle or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
37	BRS	66/4		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS		I(Valids4) same ((sindle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	14 3 U N	711/133,135,144,145,159, 170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	204	((single or one) near3 (transaction or cycle or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB